



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/045,303	10/29/2001	James H. Stephens JR.	263550US8	1293

22850 7590 11/13/2007
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

SHAW, PELING ANDY

ART UNIT	PAPER NUMBER
----------	--------------

2144

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

11/13/2007

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary

Application No.

10/045,303

Applicant(s)

STEPHENS, JAMES H.

Examiner

Peling A. Shaw

Art Unit

2144

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 September 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☒ Claim(s) 17-19 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

pls

DETAILED ACTION

Continued Examination under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/04/2007 has been entered. Claims 2 and 11-20 are amended. Claims 1-20 are currently pending.
2. Amendment received on 02/06/2007 was entered into record. Claims 11-20 were amended.
3. Applicant had submitted an Appeal Brief on 10/13/2006 together with amended claim language changes on claims 11-20 in an effort to reduce issues with respect to 35 USC § 101. Examiner had reviewed the amended claim changes and found that the amended claim changes did touch upon the issues of claims 11-20 rejection under 35 USC § 101. This necessitated an issue of non-final action dated 01/16/2007.
4. Amendment received on 12/07/2005 was entered. Claims 1, 4, 5, 11-13, 16, 17 and 20 were amended.

Priority

5. This application has no priority claim made. The filing date is 10/29/2001.

Claim objections

6. Claims 17-19 are objected to because of the following informalities:

- a. Claim 17 recites the limitation of “deriving a rule set from the model, such that the one or more opportunities for improving reliability of a video teleconferencing network can be identified by reference to the rule set”. It is not clear how to “identify by reference to”. Claim 17 and dependent claims 18-19 are objected. The limitation is read more clear with “deriving a rule set from the model, such that the one or more opportunities for improving reliability of a video teleconferencing network can be identified with the rule set” that is consistent with claim 7 language, i.e. “analyzing the rule set to identify the characteristics associated with undesirable outcomes for the video conferences”.

Appropriate correction is required.

Claim Rejections - 35 USC § 112, second paragraph

7. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-20 is rejected under 35 U.S.C. 112, second paragraph as following:

- a. Claims 1, 11 and 20 recite the limitation of "said historical data referenced to video teleconferencing equipment vendor or model identification information". It is not clear how “said historical data” may refer to “ video teleconferencing equipment vendor or model identification information”. Claims 1, 11 and 20 and their dependent claims 2-10 and 12-19 are rejected. For the purpose of applying arts, the limitation is read as “said historical data comprising of video teleconferencing equipment vendor or model identification information” that is consistent with claim 9 language.

Clarification and/or correction are required.

Claim Rejections - 35 USC § 101 Utility

8. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 11-20 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

- a. Claim 11 recites the limitations of “A computer storage medium storing instructions configured to cause a computing device to execute a method comprising ...” and “” Claim 12-19 recites the limitation of “The method of claim 11 ...”. Claim 11 and its dependent claims 12-19 are rejected pursuant to 35 U.S.C. 101 as being “directed to neither a ‘process (method)’ nor a ‘manufacture (storage medium)’”, but rather embraces or overlaps two different statutory classes of invention set forth in 35 U.S.C. 101 which is drafted so as to set forth statutory classes of invention in the alternative only. *Id.* At 1551. (See MPEP 2173.05(p)(II) PRODUCT AND PROCESS IN THE SAME CLAIM. For the purpose of applying arts, Claim 11 is read as “A computer storage medium storing instructions when executed on a computer performs the functions of: ...” instead of “A computer storage medium storing instructions configured to cause a computing device to execute a method comprising: ...” Claims 12-19 are read as “The computer storage medium of claim 11(17) further storing instructions when executed on the computer performs functions of:” instead of “The method of claim 11(17), further comprising: ...”
- b. Claim 20 recites the limitations of “A data processing system for ...” and “... comprising: one or more processing; a computer storage medium storing instructions

configured to cause a computing device to execute a method comprising”. Claim 20 is rejected pursuant to 35 U.S.C. 101 as being “directed to neither a ‘process (method)’ nor a ‘machine (system)’ , but rather embraces or overlaps two different statutory classes of invention set forth in 35 U.S.C. 101 which is drafted so as to set forth statutory classes of invention in the alternative only. Id. At 1551. (See MPEP 2173.05(p)(II) PRODUCT AND PROCESS IN THE SAME CLAIM. For the purpose of applying arts, the limitation of “... comprising: one or more processing units; a computer storage medium storing instructions configured to cause a computing device to execute a method comprising” is read as “... comprising: one or more processing units; a computer storage medium storing instructions when executed on one or more processing units perform the functions of”.

Appropriate corrections are required.

Claim Rejections - 35 USC § 112, first paragraph

9. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-20 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

- a. Claims 1, 4-5, 11-13, 16-17 and 20 recite the limitation of “video teleconferencing network” that is not described in the original specification of claim language. It would

Art Unit: 2144

cause undue experimentation to one of ordinary skill in the art to make Applicant's invention. Claims 1, 4-5, 11-13, 16-17 and 20 and their dependent claims 2-3, 6-10, 14-15 and 18-19 are rejected. For the purpose of applying art, the limitation is read as "video network".

- b. Claim 4 recites the limitation of "video teleconferencing equipment" that is not described in the original specification of claim language. Claim 4 and its dependent claim 5 are rejected. For the purpose of applying art, the limitation is read as "video equipment".

Appropriate corrections are required.

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-2, 4-6, 11-14, 16 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Natarajan et al. (US 6505244 B1), hereinafter referred as Natarajan, in view of Weisman et al. (US 7171475 B2), hereinafter Weisman.

- a. Natarajan shows (claim 1) a method for modeling video teleconferencing network reliability (column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks and implement a control scheme to collected network element information for management and control decision at network element level;

column 29, line 37-column 30, line 33: video conference application), the method comprising: obtaining historical data for multiple video conferences (Fig. 17, item 1706: reports respective number of packets dropped to data store, 1722: wait specified time interval; column 30, lines 44-55; reports respective number of packets dropped to data store; column 31, lines 6-12: feedback resumes at 1706; column 30, lines 48-57: quality monitor may wait for a specified time interval before re-evaluating the CIR policy); storing said historical data in a call history table (Fig. 2 and 15; column 7, lines 12-43; column 25 line 27-column 26-line 48: feedback-based adaptive network, report network information to a centralized data storage entity); executing a modeling algorithm that produces a model representing the historical data (Fig. 17, item 1718 and 1720: evaluate effectiveness of current policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks); analyzing the model to identify characteristics associated with undesirable outcomes for the video conferences (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model

to accommodate multi-variable nature of networks); and configuring a video teleconferencing network to avoid at least one of the identified characteristics associated with undesirable outcomes (Fig. 17, item 1708, 1710, 1712, 1714: notify and update network elements; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks). Natarajan does not explicitly show (claim 1) said historical data referenced to video teleconferencing equipment vendor or model identification information. However Natarajan does show (column 5, lines 38-53) network elements may be owned and/or managed by different service providers and (column 14, lines 20-32) a network equipment may be manufactured by different vendors.

- b. Weisman shows (column 42, lines 42-46) using UPnP to implement logical device for discovery, description, control, event management and presentation; and (column 43, lines 33-37) UPnP description includes vendor-specific information like model and manufacture information in an analogous art for the purpose of providing a device hosting framework.
- c. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Natarajan's functions of policy engine which supports application specific plug-ins for enforcing policies in a feedback-based, adaptive data

network with Weisman's functions of using UPnP for device description, control and event management.

- d. The modification would have been obvious because one of ordinary skill in the art would have been motivated to distinguish network elements from different vendors with different model information as per Weisman's teaching in modeling and analyzing video conference performance Natarajan (column 29, lines 38-58: feedback-based adaptive video conference application) and Weisman (column 26, lines 32-52: video conference system; column 42, lines 42-46: using UPnP to discover, describing, control, event managing and presentation)'s teaching.
- e. Regarding claim 2, Natarajan shows wherein the operation of executing a modeling algorithm that produces a model comprises executing a decision tree algorithm (column 14, lines 5-50; column 15, lines 1-37: decision tree).
- f. Regarding claim 4, Natarajan shows further comprising conducting a new video conference with the video teleconferencing network configured to avoid at least one of the identified characteristics associated with undesirable outcomes (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level).
- g. Regarding claim 5, Natarajan shows further comprising: updating the historical data to create new historical data that includes values representing characteristics of the

new video conference (Fig. 15; column 7, lines 12-43: feedback-based adaptive network, report network information to a centralized data storage entity; Fig. 17, item 1706: reports respective number of packets dropped to data store, 1722: wait specified time interval; column 30, lines 44-55; reports respective number of packets dropped to data store; column 31, lines 6-12: feedback resumes at 1706); executing the modeling algorithm to produce a new model representing the new historical data (Fig. 17, item 1718 and 1720: evaluate effectiveness of current policy; column 31, lines 6-12: feedback resumes at 1706; column 30, lines 48-57: quality monitor may wait for a specified time interval before re-evaluating the CIR policy); analyzing the new model to produce a result (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level); and reconfiguring the video teleconferencing network according to the result (Fig. 17, item 1708, 1710, 1712, 1714: notify and update network elements; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level).

- h. Regarding claim 6, Natarajan shows further comprising: evaluating the model to determine whether the model provides a desired level of efficacy (Fig. 17, item 1720,

- 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level); and in response to determining that the model does not provide a desired level of efficacy, using a different modeling algorithm to produce a different model (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level).
- i. Regarding claim 11, Natarajan shows a computer storage medium (claim 9: computer readable medium having computer code) storing instructions configured to cause a computing device to execute a method comprising: obtaining historical data for multiple video conferences (Fig. 17, item 1706: reports respective number of packets dropped to data store, 1722: wait specified time interval; column 30, lines 44-55; reports respective number of packets dropped to data store; column 31, lines 6-12: feedback resumes at 1706; column 30, lines 48-57: quality monitor may wait for a specified time interval before re-evaluating the CIR policy); storing said historical data in a call history table (Fig. 2 and 15; column 7, lines 12-43; column 25 line 27-column 26-line 48: feedback-based adaptive network, report network information to a centralized data storage entity); executing a modeling algorithm that produces a

model representing the historical data (Fig. 17, item 1718 and 1720: evaluate effectiveness of current policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks), such that the model can be analyzed to identify one or more opportunities for improving reliability of a video teleconferencing network (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks). Weisman shows (column 42, lines 42-46) using UPnP to implement logical device for discovery, description, control, event management and presentation; and (column 43, lines 33-37) UPnP description includes vendor-specific information like model and manufacture information.

- j. Regarding claim 12, Natarajan shows further comprising: outputting results that reveal at least one of the opportunities for improving reliability of the video teleconferencing network (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects

of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks), such that a user can reconfigure the video teleconferencing network, based on the results, to improve reliability of the video teleconferencing network (Fig. 17, item 1708, 1710, 1712, 1714: notify and update network elements; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks).

- k. Regarding claim 13, Natarajan shows further comprising: analyzing the model to identify the one or more opportunities for improving reliability of the video teleconferencing network (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks); and automatically reconfiguring the video teleconferencing network, based on the identified opportunities, to improve reliability of the video teleconferencing network (Fig. 17, item 1708, 1710, 1712, 1714: notify and update network elements; column

2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level).

- l. Regarding claim 14, Natarajan shows wherein: the operation of executing a modeling algorithm that produces a model comprises executing a decision tree algorithm (column 14, lines 5-50; column 15, lines 1-37: decision tree).
- m. Regarding claim 16, Natarajan shows further comprising: updating the historical data to create new historical data that includes values representing characteristics of a new video conference (Fig. 15; column 7, lines 12-43: feedback-based adaptive network, report network information to a centralized data storage entity; Fig. 17, item 1706: reports respective number of packets dropped to data store, 1722: wait specified time interval; column 30, lines 44-55; reports respective number of packets dropped to data store; column 31, lines 6-12: feedback resumes at 1706); executing the modeling algorithm to produce a new model representing the new historical data (Fig. 17, item 1718 and 1720: evaluate effectiveness of current policy; column 31, lines 6-12: feedback resumes at 1706; column 30, lines 48-57: quality monitor may wait for a specified time interval before re-evaluating the CIR policy); analyzing the new model to produce a result (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected

network parameters in order to achieve a desired performance level); and reconfiguring the video teleconferencing network according to the result to improve reliability of the video teleconferencing network (Fig. 17, item 1708, 1710, 1712, 1714: notify and update network elements; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level).

- n. Regarding claim 20, Natarajan shows a data processing system (column 14, lines 20-32: stand alone device) for modeling video teleconferencing network reliability (column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks and implement a control scheme to collected network element information for management and control decision at network element level; column 29, line 37-column 30, line 33: video conference application), the data processing system comprising: one or more processing units (column 14, lines 20-32: includes CPU); a computer storage medium storing instructions configured to cause a computing device to execute a method comprising (claim 9: computer readable medium having computer code):obtaining historical data for multiple video conferences (Fig. 17, item 1706: reports respective number of packets dropped to data store, 1722: wait specified time interval; column 30, lines 44-55; reports respective number of packets dropped to data store; column 31, lines 6-12: feedback resumes at 1706; column 30, lines 48-57: quality monitor may wait for a specified time interval

before re-evaluating the CIR policy); storing said historical data in a call history table (Fig. 2 and 15; column 7, lines 12-43; column 25 line 27-column 26-line 48: feedback-based adaptive network, report network information to a centralized data storage entity); and executing a modeling algorithm that produces a model representing the historical data (Fig. 17, item 1718 and 1720: evaluate effectiveness of current policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks), such that the model can be analyzed to identify one or more opportunities for improving reliability of a video teleconferencing network (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks). Weisman shows (column 42, lines 42-46) using UPnP to implement logical device for discovery, description, control, event management and presentation; and (column 43, lines 33-37) UPnP description includes vendor-specific information like model and manufacture information.

Together Natarajan and Weisman disclosed all limitations of claims 1-2, 4-6, 11-14, 16 and

20. Claims 1-2, 4-6, 11-14, 16 and 20 are rejected under 35 U.S.C. 103(a).

11. Claims 3, 7-10, 15 and 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Natarajan, Weisman and further in view of Evans (US 5694524 A), hereinafter referred as Evans.

- a. Natarajan and Weisman have shown claims 1-2 and 11 as above. Neither Natarajan nor Weisman shows (claim 3) wherein the operation of executing a decision tree algorithm comprises executing an ID3-based algorithm.
- b. Evans shows (claim 3) wherein the operation of executing a decision tree algorithm comprises executing an ID3-based algorithm (column 9, line 12-19: C4.5 is based upon ID3 per Wikipedia) in an analogous art for the purpose of system and method for identifying conditions leading to a particular result in a multi-variant system.
- c. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Natarajan's functions of policy engine which supports application specific plug-ins for enforcing policies in a feedback-based, adaptive data network with Weisman's functions of using UPnP for device description, control and event management and Evans' functions of using decision tree and training data set, particularly ID3 extension C4.5 algorithm.
- d. The modification would have been obvious because one of ordinary skill in the art would have been motivated to use ID3 based decision tree algorithm per Evans ' teaching and be able to distinguish network elements from different vendors with different model information as per Weisman's teaching in modeling and analyzing

- system issue as per Evans (column 1, lines 6-9: identify conditions lead to a particular result)'s teaching, including video conference performance per Natarajan (column 29, lines 38-58: feedback-based adaptive video conference application) and Weisman (column 26, lines 32-52: video conference system; column 42, lines 42-46: using UPnP to discover, describing, control, event managing and presentation)'s teaching.
- e. Regarding claim 7, Evans shows wherein: the method further comprises building a training set from the historical data (column 1, line 51-column 2, line 13; column 2, line 42-58: using training sets for heuristic classification;); the operation of executing the modeling algorithm comprises applying the modeling algorithm to the training set (column 1, line 51-column 2, line 13; column 2, line 42-58: developing qualitative model using training records); and the operation of analyzing the model comprises: deriving a rule set from the model (column 1, line 51-column 2, line 29; column 2, line 42-58: use machine induction rule and training data in developing qualitative model). Natarajan shows the operation of analyzing the model comprises: analyzing the rule set to identify the characteristics associated with undesirable outcomes for the video conferences (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 14, lines 51-59: specific sets of rules for analyzing specific information from selected network elements).

- f. Regarding claim 8, Natarajan shows wherein: the historical data includes attribute values for attributes of each video conference and an outcome value representing an outcome for each video conference (column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 29, line 37-column 30, line 33: video conference application); and the operation of applying the modeling algorithm to the training set comprises: using the outcome values as categorical attributes for the modeling algorithm (column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level); and using the attribute values as non-categorical attributes for the modeling algorithm (column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level).
- g. Regarding claim 9, Natarajan and Evan shows obtaining historical data for multiple video conferences as per claim 1; building a training data for multiple video conferences and executing the modeling algorithms as per claim 7. Natarajan has particularly shown (column 6, lines 49-65) provide a network model to accommodate

multi-variable nature of networks and implement a control scheme to collect network element information for management and control decision at network element level; column 29, line 37-column 30, line 33: video conference application.

Weisman shows (column 42, lines 42-46) using UPnP to implement logical device for discovery, description, control, event management and presentation; and (column 43, lines 33-37) UPnP description includes vendor-specific information like model and manufacture information.

- h. Regarding claim 10, Natarajan shows wherein: the training set includes values representing a first set of attributes (Fig. 17, item 1706: reports respective number of packets dropped to data store; column 30, lines 44-55; reports respective number of packets dropped to data store; column 31, lines 6-12: feedback resumes at 1706; column 30, lines 48-57: quality monitor may wait for a specified time interval before re-evaluating the CIR policy); and the method further comprises: evaluating the model to determine whether the model provides a desired level of efficacy (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks); in response to determining that the model does not provide a desired level of efficacy, building a different training set that includes a different set of attributes (Fig. 17, item 1720, 1724, 1726, 1728:

evaluate and identify ineffective policy; column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions); and applying the modeling algorithm to the different training set to produce a different model (Fig. 17, item 1708, 1710, 1712, 1714: notify and update network elements; column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions ; column 6, lines 49-65: provide a network model to accommodate multi-variable nature of networks; column 30, lines 48-57: quality monitor may wait for a specified time interval before re-evaluating the CIR policy).

- i. Regarding claim 15, Evans shows wherein: the operation of executing the decision tree algorithm comprises executing an ID3-based algorithm (column 9, line 12-19: C4.5 is based upon ID3 per Wikipedia).
- j. Regarding claim 17, Evans shows further comprising: building a training set from the historical data (column 1, line 51-column 2, line 13; column 2, line 42-58: using training sets for heuristic classification;); executing the modeling algorithm by applying the modeling algorithm to the training set (column 1, line 51-column 2, line 13; column 2, line 42-58: developing qualitative model using training records); and deriving a rule set from the model (column 1, line 51-column 2, line 29; column 2, line 42-58: use machine induction rule and training data in developing qualitative model). Natarajan shows that the one or more opportunities for improving reliability

of a video teleconferencing network can be identified by reference to the rule set (Fig. 17, item 1720, 1724, 1726, 1728: evaluate and identify ineffective policy; column 2, line 15-43; implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 14, lines 51-59: specific sets of rules for analyzing specific information from selected network elements).

- k. Regarding claim 18, Natarajan shows wherein: the historical data includes attribute values for attributes of each video conference and an outcome value representing an outcome for each video conference (column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level; column 29, line 37-column 30, line 33: video conference application); the modeling algorithm uses the outcome values as categorical attributes (column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by modifying selected network parameters in order to achieve a desired performance level); and the modeling algorithm uses the attribute values as non-categorical attributes (column 2, line 15-22: implementing a feedback-based data network to automatically and dynamically monitor characteristics of various aspects of the network and adapt to changing network conditions by

modifying selected network parameters in order to achieve a desired performance level).

1. Regarding claim 19, Natarajan and Evan shows obtaining historical data for multiple video conferences as per claim 1; building a training data for multiple video conferences and executing the modeling algorithms as per claim 7. Natarajan has particularly shown (column 6, lines 49-65) provide a network model to accommodate multi-variable nature of networks and implement a control scheme to collected network element information for management and control decision at network element level; column 29, line 37-column 30, line 33: video conference application. Weisman shows (column 42, lines 42-46) using UPnP to implement logical device for discovery, description, control, event management and presentation; and (column 43, lines 33-37) UPnP description includes vendor-specific information like model and manufacture information.

Together Natarajan, Weisman and Evans disclosed all limitations of claims 3, 7-10, 15 and 17-19. Claims 3, 7-10, 15 and 17-19 are rejected under 35 U.S.C. 103(a).

Response to Arguments

12. Applicant's arguments dated 07/27/2007 with respect to pending claims have been considered but are moot in view of the new ground(s) of rejection.

- a. Applicant has repeated the same argument as in amendment filed on 02/06/2007, i.e. Natarajan and Yates do not disclose or suggest applicant's claimed limitation of "historical data referenced to video teleconferencing equipment vendor or model identification information. Examiner has reviewed item a in the Response to Arguments in previous office action dated 05/01/2007. Examiner still believes it should still be applicable to the current claim set in light of applicant's original specification and claim language.
- b. However, examiner has searched on the limitation of "vendor or model information" and found Weisman. Weisman has described using UPnP for device description, discovery, control, event management and presentation. Weisman in combinatory with Natarajan have all the limitation of independent claims 1, 11 and 20. Claim rejections are updated with reference cited from Weisman. Applicant's current arguments are deemed moot in view of the new grounds of rejection as per claim rejections above.
- c. It is the Examiner's position that Applicant has not submitted claims drawn to limitations, which define the method, program and system of Applicant's disclosed invention in manner, which distinguishes over the applied prior arts. It is the Examiner's position that the detailed functionality that allows for Applicant's invention to overcome the prior art used in the rejection, fails to differentiate in detail

- how these features of applicant's specification are unique (see items a-d in section 10). Natarajan has shown the general art of monitoring and managing multiple communication applications as provided by multiple vendors. It is clear that Applicant must be able to submit claim language to distinguish over the prior arts used in the above rejection sections that discloses distinctive features of Applicant's claimed invention. It is suggested that Applicant compare the original specification and claim language with the cited prior art used in the rejection section above or the Remark section below to draw an amended claim set to further the prosecution.
- d. Failure for Applicant to narrow the definition/scope of the claims and supply arguments commensurate in scope with the claims implies the Applicant's intent to broaden claimed invention. Examiner interprets the claim language in a scope parallel to the Applicant in the response. Examiner reiterates the need for the Applicant to more clearly and distinctly define the claimed invention.

Remarks

13. The following pertaining arts are discovered and not used in this office action. Office reserves the right to use these arts in later actions.

- a. Hales et al. (US 6288739 B1) Distributed video communications system
- b. Yates et al. (US 6330586 B1) Reconfigurable service provision via a communication network
- c. Grabelsky et al. (US 6678250 B1) Method and system for monitoring and management of the performance of real-time networks

Conclusion

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Refer to the enclosed PTO-892 for details.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peling A. Shaw whose telephone number is (571) 272-7968. The examiner can normally be reached on M-F 8:00 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William C. Vaughn can be reached on (571) 272-3922. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Peling A Shaw
Patent Examiner
Art Unit 2144

pas